

Autobuild Status Update

Simon Josefsson
<simon@josefsson.org>

What is Autobuild?

- Build status page
- `(./configure && make check) | \`
mail PROJECT@autobuild.josefsson.org
- Parses log files and generate HTML output
- Allows non-developers to contribute build machines easily (Solaris, HPUX, ...)

Index of /

| Name | Last modified | Size | Description |
|---|-------------------|------|-------------|
|  README.html | 15-Apr-2009 08:19 | 3.1K | |
|  gnulib/ | 11-Nov-2009 04:00 | - | |
|  gnupdf/ | 11-Nov-2009 04:00 | - | |
|  gnutls/ | 11-Nov-2009 04:01 | - | |
|  gsasl/ | 11-Nov-2009 04:02 | - | |
|  guile/ | 11-Nov-2009 04:02 | - | |
|  inetutils/ | 11-Nov-2009 04:02 | - | |
|  libidn/ | 11-Nov-2009 04:02 | - | |
|  libntlm/ | 11-Nov-2009 04:00 | - | |
|  libssh2/ | 11-Nov-2009 04:02 | - | |
|  robots.txt | 15-Apr-2009 08:19 | 26 | |
|  shishi/ | 11-Nov-2009 04:02 | - | |

This server contains build logs for projects that send their build logs via e-mail to [PROJECTNAME]@autobuild.josefsson.org.

For more information, see <http://josefsson.org/autobuild/>.

What are the requirements?

The system works best with projects that use Autoconf, and in particular those that run the AB_INIT macro in autobuild.m4 from Autobuild. The macro makes your configure script output strings such as:

```
configure: autobuild project... libtasn1
configure: autobuild revision... 0.3.8
configure: autobuild hostname... dopio
configure: autobuild timestamp... 20061202-123851
```

Summary

| Project | Build type | Revision | System | Build date | Results |
|------------------------------|--|----------------------------|------------------------------|------------------|-------------------------|
| GNU Libtasn1 | i586-pc-mingw32msvc from i686-pc-linux-gnu | 2.4 | gaggia | 20091111T084455Z | Success |
| | ia64-unknown-linux-gnu | 2.4 | Babe | 20091110T080031Z | Success |
| | powerpc-apple-darwin8.11.0 | 2.4 | espresso.lan | 20091110T200021Z | Success |
| | x86_64-unknown-linux-gnu | 2.4 | gaggia | 20091111T074945Z | Success |
| GnuTLS | x86_64-unknown-linux-gnu | 2.4.4 | gaggia | 20091111-081902 | Success |
| gnutls | unknown | latest | unknown | unknown | Failure |
| gnutls-2.6 | unknown | 2.6-latest | unknown | unknown | Failure |
| libgcrypt | unknown | latest | unknown | unknown | Failure |
| | x86_64-unknown-linux-gnu | 0 | unknown | unknown | Success |
| libgpg-error | unknown | latest | unknown | unknown | Failure |
| | x86_64-unknown-linux-gnu | 1.8-svn225 | gaggia | 20091111-074603 | Success |
| libtasn1 | i586-pc-mingw32msvc from i686-pc-linux-gnu | 1.8 | gaggia | 20091111T084529Z | Success |
| | ia64-unknown-linux-gnu | 1.8 | Babe | 20091110T090014Z | Success |
| | x86_64-unknown-linux-gnu | 1.8 | gaggia | 20091111T075052Z | Success |

Project 'GNU Libtasn1'

Revisions (1): [2.4](#),

Hosttypes (4): [i586-pc-mingw32msvc](#), [ia64-unknown-linux-gnu](#), [powerpc-apple-darwin8.11.0](#), [x86_64-unknown-linux-gnu](#),

Build hosts (3): [Babe](#), [espresso.lan](#), [gaggia](#),

Summary for GNU Libtasn1 2.4

| System | Build host | Build date | Results |
|----------------------------|--------------|------------------|-------------------------|
| powerpc-apple-darwin8.11.0 | espresso.lan | 20091107T200019Z | Success |
| x86_64-unknown-linux-gnu | gaggia | 20091107T201737Z | Success |
| powerpc-apple-darwin8.11.0 | espresso.lan | 20091108T200019Z | Success |

What's new?

- Not much :-)
- Brian sends GSRC build logs output
 - Idea to make them permanently visible
- Moving to autobuild.qa.gnu.org in progress
- Talk to me today about adding your project
 - GCC Compile Farm rocks!

?